
TECHNICAL RIDER



KONTAKT

Markus Glas Herzog-Arnulf-Str. 10 | 85604 Zorneding Mobil: 0172 8255987 markus@soulhunter-rockband.de

STACE PLOT



Channel	Instrument	SCHEDU		
1	Kick		AKG D112/XLR	
2	Snare		Sennheiser E 904/XLR	
3	Hi Hat Micro/XLR			
4	Racktom 12"		Sennheiser E 604/XLR	
5	Floortom 14"		Sennheiser E 604/XLR	
6	Floortom 16"		Sennheiser E 604/XLR	
7	Crash 1 16"		Micro/XLR —]
8	Crash 2 16"		Micro/XLR	
9	Crash 3 16"		Micro/XLR	Overheads
10	Crash 18"		Micro/XLR	AKG C 3000 B
11	Ride		Micro/XLR	
12	China		Micro/XLR	
13	Bass Amp		DI	
14	Guitar Amp		Micro	
15	Vocals 1 (Lead \	/ocals)	EV N/D 757/XLR	
16	Vocals 2 (Lead \	/ocals)	TC-Helicon MP-75 RTD M/XLR	
17	Vocals 3 (Backin	ig Vocals)	Shure Beta 58 A/XLR	
18	Vocals 4 (Backin	ig Vocals)	Micro/XLR	

TECHNICAL DETAILS/BAND-EQUIPMENT

Guitar

- Marshall Top 100W
- 1x Marshall 412
- 1x Marshall 412
- Pedal Board (230V needed)

Bass

• Ampeg SVT CL + Ampeg SVT 810

or

- TC Electronic BH 550 + TC Electronic K410
- Line 6 Relay Wireless-Sytem (2,4 GHz)
- Pedal Board (230 V needed)

Annotationes

- Every amp has 230V/16A
- 3 gallows stands (Vox 2,3,4) are needed
- 1 stand (Vox1) is needed
- The sides of bass and guitar may change on different stages